



All Natural Product Virtually Dust Free



THAILAND
WEB: WWW.ORGANICMATERIALS.COM



U.K.A.S. ACCREDITED COMPANY


ISO 9001:2000 CERTIFIED

ISO 9001:2000
CERTIFIED


Greens Grade Natural Gypsum



Green Turf+Mag



97% Minimum Purity
98% Average Purity



QUALITY GYPSUM



Spreads easily in broadcast equipment under a wide range of weather conditions

Green Turf+Mag

SUGGESTED SPREADER SETTINGS

Spreader	Speed		Width Of MPH	Cone	Setting		
	Ground MPH	PTO RPM			Low 1.8 KgM	Normal 2.5 KgM	Heavy 3.5 KgM
SPYKER	3	—	10'	—	5 1/2	6	7
EARTHWAY	3	—	8'	—	16	17	18
VICON (PTO)	—	—	35'	—	25	30	34
LELY (Ground)	—	—	35'	—	5 3/4	6 3/4	7 1/4
LESCO	3	—	11'	—	I	J	L
SCOTT'S R&A	3	—	12'	7	N	O	P
SCOTT'S Aeen™2000	3	—	12'	7	N 1/2	O 1/2	P 1/2

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation, and evenness of terrain may require slightly different setting for desired coverage.

- Supplies readily available calcium and sulphur without Significantly affecting soil pH.
- Improves soil structure, reduces surface crusting, and aids water penetration/absorption and aeration.
- Binds sodium ions with sulphate ions, thereby facilitating the removal of sodium through leaching from the root zone.
- Improves drought tolerance through better soil structure and better plant health.
- Encourages deep root growth promoting plant vigor.
- Adequate calcium, magnesium and sulphur nutrition is essential to obtain maximum yield and quality.
- Contains water soluble calcium, magnesium and sulphur which is readily available to the plant.
- Effectively counter acts sodium alkaline soils.
- Proven to positively affect crop growth, crop yield and overall plant health
- Can be applied to all crops and Soil types.

Chemical Analysis

Gypsum (CaSO ₄ . 2H ₂ O).....	92 %
Calcium (Ca).....	17 %
Sulphur (S).....	17 %
Magnesium (Mg).....	5 %



Gypsum may cause irritation to eyes, nose, throat and skin, In case of contact with skin or eyes, flush with plenty of water ; for eyes, seek medical attention.

Apply anytime during the turf growing season; however, when weather is extremely hot, it is best to delay or reduce gypsum applications.



Manufactured :
D.K.T. CO.,LTD.

29 4 J-Building Phaholyothin 3, Phayathai, Bangkok 10400, Thailand.
TEL : 0-2272-4051-30 FAX : 0-2270-0879

Website : www.dktgypsum.com
E-mail : mail@dkt.co.th



Distributed by :
SWANCORP PTY LTD.

123 Boundary Road, Rocklea QLD4106
www.swancorp.com.au